Treadway, David

From:

Treadway, David

Sent:

Tuesday, May 11, 2021 2:54 PM

To:

Winslow, Theodora; Castillo, Celeste; McAlister, Catherine

Cc:

Granado, Nicia; Hughes, Jason; Cashman, Jinger

Subject:

Limited Mold Assessment- Rooms 123 & 128

Mrs. Winslow,

Good afternoon. My name is David Treadway and I am the Environmental Coordinator for LISD. I am sending this email to follow up with the results of the limited mold assessment conducted in rooms 123 and 128 per a campus request. The assessments were conducted by Ensolum LLC on May 3rd and May 7th. It is typically assumed that the indoor spore levels in an area with filtered or air conditioned air, and activity levels associated with schools, average below the outdoor levels. Data from the airborne mold/fungi sampling indicated that the total indoor concentration of mold/fungi in Rm 123 was 1.2%, and Rm 128 was 2.6% of the outdoor levels. Utilizing this theory, the indoor concentrations are well within the acceptable guidelines for areas with filtered air or air conditioning. If you have any questions or any environmental concerns please feel free to contact me.

Sincerely,
David Treadway
LISD Environmental/IAQ



May 11, 2021

Lewisville Independent School District 340 Lake Haven Lewisville, Texas 75057 Attn: Mr. David Treadway

Re:

Limited Mold Assessment Independence Elementary School – Room 123 2511 Windhaven Pkwy. Lewisville, Texas Ensolum Project No. 01A1288135

Ensolum, LLC (Ensolum) was retained to perform limited mold assessment services within the Room 123 of Independence Elementary School located at 2511 Windhaven Pkwy. in Lewisville, Texas. Enclosed is the report, including analytical data.

Ensolum appreciates this opportunity to be of service and looks forward to our continued work together. Please contact the undersigned with any questions or concerns you may have.

Sincerely,

Tod L. McLellan

Mold Assessment Consultant MAC1361 EXP: 3/08/2022

Darren G. Bowden

Principal

MAC0321 EXP: 2/15/2022

In A Ende

1.0 INTRODUCTION

Ensolum was retained by Mr. David Treadway, LISD, to complete a Limited Mold Assessment within the Room 123 of Independence Elementary School located at 2511 Windhaven Pkwy. in Lewisville, Texas. The purpose of this investigation was to determine if elevated concentrations of airborne fungal spores and structures were present within the above-referenced areas.

Mr. Tod McLellan completed the on-site investigation on May 3, 2021. The Limited Mold Assessment was performed in response to a complaint of possible indoor air quality issues within specific areas.

2.0 PROCEDURE

Ensolum visually inspected accessible assessment areas. No Visible water damage or odors were observed in the following locations:

VISIBLE WATER DAMAGE							
LOCATION	DATE	EXPLANATION					
Room 123	5/3/2021	N/A					
Outdoor 1	5/3/2021	N/A					
Outdoor 2	5/3/2021	N/A					

Following the inspection of potential water-damaged building materials, Ensolum conducted a moisture investigation in the identified areas to determine if nonvisible water-damaged materials and other building materials within the investigation area were present. The moisture investigation was completed with a GE Protimeter BLD5365 moisture meter on accessible porous and semi-porous building materials in each area of concern. At the time of investigation, monitored building materials did not exhibit elevated moisture concentrations in comparison with similar and non-affected building materials in the structure and standard scientific guidelines.

Representative Relative Humidity readings were collected and recorded using an Vaisala HM40 Humidity and Temperature Meter. Measurements recorded during the investigation are listed in the chart below:

TEMPERATURE & RELATIVE HUMIDITY							
LOCATION	DATE	Temperature: F	Relative Humidity				
Room 123	5/3/2021	73.2°	55.6%				
Outdoor 1	5/3/2021	85.2°	96.16%				
Outdoor 2	5/3/2021	86.8°	51.3%				

Area air samples were collected with Allergenco-D spore trap cassettes and analyzed for airborne fungal spores and structures. Samples were collected at a rate of 15 liters per minute. Indoor air sample(s) were collected for a five (5) minute period of time (75 liters) at a height of approximately five (5) feet above finished floor (AFF). Outdoor air samples were collected for a five (5) minutes period of time (75 liters) at a height of approximately five (5) feet above level ground. American Conference of Governmental Industrial Hygienists (ACGIH) guidelines were followed for the sample collection. Fungal air samples were collected in the following areas:

SPORE TRAP LOCATIONS						
SAMPLE NUMBER	LOCATION					
357563	Room 123					
357539	Outdoor					
357556	Outdoor					

3.0 RESULTS

Currently, there are no regulatory standards for airborne fungal contamination. Therefore, results of the fungal analysis are compared against scientific guidelines. Bioaerosol samples are evaluated by comparing the indoor samples against the outdoor sample(s). The same types of fungi should be found in both the indoor and outdoor samples.

Should higher fungal concentrations occur in the indoor sample(s) or complaint areas, this generally indicates there is a source of fungal growth in the area.

The results of the fungal air samples collected were evaluated. Air testing performed using spore traps found that airborne mold spores within the room(s) were considerably lower and were qualitatively similar to those measured outside of the building at the time the sampling was performed.

4.0 CONCLUSION

Based on ENSOLUM's limited assessment and the analytical results, it appears that the indoor air quality, as it relates to airborne fungi, was within recommended guidelines on the day of the assessment.

APPENDIX A ANALYTICAL DATA



U.S. Micro-Solutions, Inc. * 302 Unity Plaza * Latrobe, PA 15650 Phone: (724) 853-4047 Fax: (724) 853-4049 AIHA-LAP, LLC EMLAP # 103009 www.usmslab.com



Customer Name:

Ensolum, LLC / Dallas

Sample Date: Date Received: May 3, 2021

Customer Address:

2351 W. Northwest Hwy, Suite

Ma

May 4, 2021

1203

Dallas, TX 75220

Date of Report:

May 5, 2021

Customer Phone:

(682) 225-3050

Fax: Attention:

Tod McLellan

PO Number: Project Name/Number:

Independence Elementary School

Customer sample numbers below are uniquely identified by prefixing Laboratory # 54318-21

Airborne Spore Trap Analysis - AllergencoD

	Airborne	Spore	Trap Analysis Analytical M		-	MIC 01	AllergencoD					
Total Volume (L)	1		75	eulou.	1	MICUI	75		1		75	
Sample Number		357563				357539			357556			
Location:		Room 123			Outdoor (Main Entrance)			Outdoor (South)				
Particle ID	Raw ct.	AS	Spores/m³	%	Raw ct.	AS	Spores/m²	%	Raw ct.	AS	Spores/m³	%
Alternaria	3	13	39	9%	2	13	26	0%	1	13	13	0%
Ascospores	1	13	13	3%	33	13	429	1%	22	13	286	1%
Aspergillus/Penicillium-like	5	13	65	15%	6	13	78	0%	3	13	39	0%
Basidiospores	8	13	104	24%	119	178	21,182	59%	112	178	19,936	60%
Bipolaris/Drechslera	3	13	39	9%	· · · ·			1 22.2			10 000	1 22.0
Cercospora		!-		¥ /2				<u> </u>	1	13	13	0%
Chaetomium											,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Cladosporium	7	13	91	21%	104	133	13,832	39%	144	89	12,816	39%
Curvularia	3	13	39	9%								
Epicoccum	1	13	13	3%	2	13	26	0%	1	13	13	0%
Hellcomyces							***************************************					
Nigrospora												
Oidium												1
Pithomyces/Ulocladium	1	13	13	3%			·····	l				
Polythrincium		-										
Rusts												
Smuts/ Myxomycetes	1	13	13	3%	9	13	117	0%	2	13	26	0%
Stachybotrys									***************************************			
Torula								.,				
Trichoderma												
Unidentified dematiaceous conidia												
Unidentified hyaline conidia				 	<u> </u>						•	-
Total Mold				<u> </u>								ļ
(Spores/m³ of air)	33		429	L	275		35,690	<u> </u>	286	ll	33,142	<u> </u>
Pollen	0	13	< 13		6	13	78		0	13	< 13	
Hyphal Fragments	1	13	13		2	13	26		1	13	13	
Insect Fragments				ļ								
Plant Fragments				-	<u> </u>							1
											.	
Skin Cell Fragments			2		1				Il	1	<u> </u>	
Debris			2		i					1		
Analyst Initials			LS		LS					LS		
Date Analyzed			05/04/21		ļ		05/04/21		ļ		05/04/21	
Exp Date of Cassette:		03/2022			03/2022			03/2022				

Entire trace analyzed. Samples are in good condition unless otherwise noted. Results relate only to the samples tested as received. Results are reported as calculated. For biological data, the first and/or second digit should be considered significant. Total percentage may not equal 100% due to rounding. Percentages reported as 0% are greater than 0 and less than 0.5%. The Aspergillus/Peniclium-like category cannot be differentiated by non-viable sampling methods.

AS=Analytical Sensitivity (spores/m3); Blank Lines = None Detected

When providing duplicates of this report, the document should be provided in total and not in section in accordance with AIHA-LAP, LLC. Any unauthorized or improper disclosure, copying, distribution, use, or falsification of these results is prohibited. USMS shall have no liability to the Customer or the Customer's customer for opinions stated, recommendations made, actions taken, or conduct implemented based on the test results reported.

i .		
!		
t .		
t .		
F		
1		
ł		

Technical Manager: Deanna & Kiske.

Deanna L Kiska, Ph.D.

SPORE TRAP INTERPRETATION TIPS

Contains opinions and interpretations

Currently there are no numeric standards for indoor airborne or surface microbial contamination. Suggested guidelines are constantly being reviewed and updated as more information is collected.

Some common denominators should be considered when interpreting results:

- 1. Comparison of indoor/outdoor concentration ratios.
- 2. Complaint vs. non-complaint areas or affected vs. non-affected areas.
- 3. Consider air exchange rates and activity levels in a building structure, weather, and season of the year.
- 4. Rank order assessment and concentration (e.g. Spores/m3 of air) of the fungi.
- 5. Predominant fungal genera: Are there water indicator microorganisms present, such as but not limited to: Chaetomium, Stachybotrys, Rhodotorula, Trichoderma, and Scopulariopsis.
- 6. Generally fungal counts indoors should be lower than outdoor counts and the types of fungi found indoors should be similar to outdoors.
- 7. There is always a potential bias from infiltration of outdoor air, poor housekeeping, excessive indoor relative humidity, or potential contamination sources (e.g. water intrusion through a basement wall) that may negatively influence post remedial verification (PRV) or clearancelevels.
- 8. The investigator should look for various patterns among the indoor types of molds detected:
 - a. Increased levels of primary (1st) colonizers in damp or moisture intrusion areas of homes or commercial buildings: **Aspergillus/Penicillium** or **Cladosporium** are usually noted.
 - b. Chaetomium or Stachybotrys are tertiary (3rd) colonizers of indoor materials and are usually associated with chronic long-standing water/moisture issues in a building.
 - c. The presence of hyphal fragments or fruiting structures noted on spore trap samples usually indicates amplification (growth) of fungi on building substrates.
 - d. Ascospores and basidiospores noted on indoor spore trap samples most often represent the entrance of inadequately filtered outdoor air. During inclement weather, remember to note time, temperature, and season. Most indoor materials will not support the growth of these fungi.
- 9. When unidentified hyaline (clear) or dematiaceous (dark-pigmented) conidia are noted on a spore trap sample, it indicates that no particular fungus can be identified. These fungal conidia may represent such yeast-like fungi as Aureobasidium, Sporidiobolus, unidentifiable Acremonium species, Basidiomycetes (basidiospores), and Ascomycetes (ascospores).
- 10. Keep in mind when interpreting spore trap sample reports, that indoor levels may be higher than corresponding outdoor levels (winter time in the northern U.S.) with a predominance of *Aspergillus/Penicillium* or *Cladosporium* conidia with no significant amplification of any molds.

Page 1 of 2 QLT 02 Form 6 v1 DCR 20-079 Effective 06-04-20

SPORE TRAP GUIDELINES

	DEBRIS RATING							
DEBRIS RATING	Debris Load per high power field (600 X)	SIGNIFICANCE						
0	A visible trace, including particulates and debris, is not observed.	Indicates the sample is a blank, the area is exceptionally clean, or improper sampling occurred.						
1	<5%	Minimal amount of debris is observed.						
2	5-25%	Low amount of debris is observed, counts may be affected.						
3*	25-75%	Moderate amount of debris is observed, counts of conidia/hyphal fragments may be underestimated.						
4* Soon Reliating Albandasice chart below	75-90%	High amount of debris is observed, counts are estimated or relative abundance is reported. Suggest recollection.						
5*	>90%	Unable to analyze. Recollect sample:						

[&]quot;A rating of 3 or greater indicates that the occuracy of the analysis is likely affected.

RELATIVE ABUNDANCE of FUNGAL PARTICLES (hyphal fragments, spores)					
RATING	Fungal Particle Load per high power field (600 X)				
Rare	Rare <5%				
Few	5-25%				
Moderate	25-75%				
Many	75-90%				
Numerous	>90%				

	SKIN CELL RATING				
SKIN CELL RATING	Skin Cell Load per high power field (600 X)				
0	No skin cells present				
1	<5%				
2	5-25%				
3	25-75%	-			
4	75-90%				
5	5 >90%				

Page 2 of 2 QLT 02 Form 6 v2 DCR 21-080 Effective 03-05-21

End of Report





U.S. Micro-Solutions, Inc. 302 Unity Plaza Latrobe, PA 15650 P: 724-853-4047 F: 724-853-4049 supplies@usmslab.com





LABORATORY TEST REQUEST - CHAIN OF CUSTODY

						THE THE SECTION AND THE SECTIO				
Customer Name	Ensolu	m, LLC /	Dallas		Phone #: 6	82-225-3	3050	FAX #:		
Address: 2351 W. Northwest Hwy, Suite 1203			City: Dalla	as		State: T	X Zip:	75220		
Attention To: To	d McLe	llan			E-Mail: tmc	lellan@ens	solum.com, smclei	llan@ensc	olum.com, jo	colson@ensolu.com
Sample Obtained	d By: Tod	McLella	n		Results:	☐ FAX	E-Mail	PO#	Pro	posal # OBB
Project Name/Nu	umber:	Indap	ومؤوس	· Elema	- wyere	حدلمك	1		95	14 17 88. 132
Turn-Around-Tim (Spore Trap & D	ne:	•	Standard (48	-72 hr) Ne	ext Day (24 hr	, M-F)	Same Day (6 hr, M	∕I-F)	3-Hour (M-F)) Saturday
Comments:										
Sample #		nple / Time	Sample Code	Analysis Code		Sam	ple Location & Des	cription		Sample Volume/Area
357563	5.3		21	SFT	Ro	Der~	173			756
357539			Participal P	-	004	door	(Main E	Norma	(پ	(
357556	5.3		51	SPT	5 0	4200	(SOUTH))		731
						Marin Control of the				
Relinquished By	(Customes I	MUST size\		-,		_			Date & Time	
Reinquistied by	Customeri	WOST SIGN		Jul /	JA F	1			5.3.21	1300
Received By - La	House Only	i a	H			Date 05	& Time 104121 1	100	543	618-21
Page 1 of 3	/ SAM	02.01 Form	3 v2		DCR 20-199	Effectiv	ve 09-21-20			

Sai	Sample Code				
Α	Air Plate				
В	Bulk				
ST	Spore Trap				
S	Swab				
W	Water				
Т	Таре				
0	Other				

Analysis Code						
DME Direct Microscopic Exam		COL	Colilert – Presence/absence of E. coli, coliforms			
SPT	Spore Trap Allergenco-D AirOCell M5	HPC	Heterotrophic Plate Count			
FUNG	Fungal Culture – Counts w/ Identification	MYC	Mycobacteria Culture			
BACT	Bacterial Culture - Counts w/ Identification		Staphylococcus / MRSA Culture			
BACT24	Bacterial Culture (24 hr) - Counts w/ presence/absence of gram-negatives		Duodenoscope Culture			
SSQT	Sewage Screen (quant) – Counts w/ Identification E. coli, coliforms, enterococci (fecal streptococci)	нси	Heater/Cooler Water Culture includes mycobacteria, HPC, coliforms, & P. aeruginosa			
SSQL Sewage Screen (qualitative) – Presence/absence E. coli, coliforms, enterococci (fecal streptococci)			Pseudomonas aeruginosa Culture			
SS24	Sewage Screen (24 hr) - Presence/absence E. coli, coliforms, enterococci (fecal streptococci)	IDS	Species Identification by MALDI-TOF			

^{*}All samples received after 1:00 p.m. Monday-Friday will be considered received the NEXT business day. Same Day and Next Day samples received on Saturday will be reported on Monday and Tuesday, respectively.

APPENDIX B DEFINITIONS AND LIMITATIONS



Mold Services Definitions & Limitations

Ensolum performed services in accordance with generally accepted practices of the profession undertaken in similar services at the same time and in the same geographical area. No other warranties, express or implied, apply to the services hereunder or the final report.

Ensolum's services and any report have been prepared on behalf of and for the exclusive use of the Client solely for its use and reliance in assessing the presence of mold in the Investigation Areas of the site. The Client was the only party to which Ensolum explained the risks and limitations of the services and was solely involved in shaping the scope of services. Accordingly, reliance on this report by any other party may involve assumptions leading to an unintended interpretation of findings and opinions. With the consent of the Client, Ensolum may offer reliance to third parties or contract with other parties to develop findings and opinions related to such party's unique risk management concerns. Notwithstanding the foregoing, reliance by any and all third parties upon this deliverable, Ensolum's services or any subsequent report shall be limited in the aggregate to the fair market value of the services provided by Ensolum.

"Limited Mold Assessment". This deliverable uses the term "Limited Mold Assessment" to denote that Ensolum's mold assessment services are limited: (i) to certain portions of the building structure (e.g., the Investigation Areas), by non-destructive sampling methodologies, and/or by access limitations to building materials or components within the Investigation Area(s). In contrast to a "Limited Assessment" is a comprehensive assessment would involve destructive sampling methods with the assessment to be conducted throughout the entire building structure.

Time sensitive. One must keep in mind that mold assessments are essentially a "snap shot in time," and the results are only relevant at the time of site reconnaissance. Because mold, when biologically active, is a living organism, its presence is influenced and controlled by environmental conditions. Mold assessments, therefore, are "time sensitive" in that the presence and concentration of mold and similar organisms in building structures or in the air is directly influenced by environmental conditions (such as humidity, moisture, nutrients and substrates), whether natural or caused by man, which conditions may vary significantly over relatively short periods of time.

Methodologies. Currently, mold assessment methodologies and protocols in Texas are governed by persuasive guidelines (rather than promulgated federal/state or local regulations). Presently, there is no data that supports a threshold limit or dose-response relationship for exposure to mold aeroallergens, individual pathogens, opportunistic pathogens and/or mycotoxins. The Occupational Safety and Health Administration (OSHA), the National Institute of Occupational Safety and Health (NIOSH) and other non-governmental associations, have not yet established permissible exposure limits (PELs), recommended exposure limits (RELs), or other limit values for fungi. Because no limit values presently exist. Ensolum will not and cannot represent that the site contains no harmful microbes, mold, fungi, or their metabolites, or other latent conditions beyond those identified by the limited scope of this mold assessment.



Findings limited. Findings in an LMA are limited due to the nature of the information obtained such as a visual reconnaissance of readily accessible areas of building structures, interview information, anecdotal information, and limited sampling data derived from one or more specific sampling events. Ensolum cannot warrant the accuracy of prior or subsequent information/data, reports and services performed by other firms at the Site. Ensolum assumes no responsibility or liability for errors in information or data provided by or through the client or third party sources. Ensolum's services are not to be construed as legal or medical interpretation or advice.

Moisture Intrusion Limitation. Ensolum performs mold assessment services and is not a moisture intrusion, HVAC, plumbing or building envelope specialist. However, during the course of conducting its mold assessment services, Ensolum will report observed areas of apparent moisture intrusion. Ensolum does not and will not investigate the cause or causes of such observed moisture intrusion. In the event apparent moisture intrusion is observed, Ensolum will recommend that the client contact a specialist (i.e., plumbing contractor, building envelope specialist, HVAC contractor, water intrusion specialist, etc.) to assist the client in determining the specific cause or causes of the moisture intrusion and remedial options.

Certificate of Mold Damage Remediation (CMDR). For mold remediation projects (above certain size thresholds), applicable Texas law (i.e., Texas Occupation Code Section 1958.54 and T.A.C. Section 295.397 (the Texas Mold Assessment and Remediation Rules), requires that a "Certificate of Mold Damage Remediation" be issued by the Mold Remediation Contractor upon successful completion of the project. This certificate must be provided to property owners no later than the 10th day after the date on which the mold remediation is completed at a property. The Mold Remediation Certificate issued by the Mold Remediation Contractor must include a certification by the Mold Assessor that the mold remediation project has been successfully completed in accordance with the mold remediation protocol.

Be advised that Ensolum's issuance of a CMDR upon successful completion of a Mold Remediation project does not mean, warrant or otherwise guarantee that mold will not be subsequently found in any portion of an Investigation Area or the Site. In the event that Ensolum is engaged to render services in connection with a mold remediation project, ENSOLUM will require Client to provide to Ensolum written documentation that all sources of moisture which contributed to the presence of mold in the Investigation Area have been fully remediated and corrected prior to achieving clearance.