


LISD Allergy Action Plan for Elementary Students



Name: _____ D.O.B. ____ / ____ / ____

Campus: _____ Grade: _____ Teacher _____

Severe Allergy to: _____

Asthma: Yes (higher risk for a severe reaction) No Weight _____ lbs.

Student history and warning signs: _____

MILD SYMPTOMS	
Skin:	a few hives, mild itching
Mouth:	itchy mouth
Stomach:	mild nausea or discomfort
Nose:	itchy, runny nose, sneezing

SEVERE SYMPTOMS	
Skin:	many hives all over, redness, swelling of face, eyes, or lips
Lung:	short of breath, wheezing, repetitive cough
Throat:	tight, hoarse, trouble breathing or swallowing
Mouth:	swelling of tongue and/or lips
Stomach:	vomiting, diarrhea, severe cramping
Heart:	pale, blue, faint, weak pulse, dizzy, confusion, loss of consciousness
Others:	anxiety, feeling bad, or feeling of impending doom

TREATMENT PLAN
(TWO CHOICES – PLEASE CHECK ONLY ONE):



Plan 1: For MILD SYMPTOMS:

Mild symptoms from MORE THAN ONE BODY AREA (skin, mouth, stomach, or nose) are TREATED AS SEVERE SYMPTOMS!!! Give EPINEPHRINE.

Mild Symptoms from a single body area:

1. Give *Antihistamine* if ordered.
2. Stay with student and monitor for worsening symptoms.
3. If symptoms progress, USE EPINEPHRINE (treat as SEVERE symptoms).
4. Contact parent.

For SEVERE SYMPTOMS:

1. INJECT EPINEPHRINE IMMEDIATELY.
2. Call 911.
3. Give *Antihistamine* and then Inhaler if ordered (and not already used).
4. Lay the person flat, raise legs and keep warm. If breathing is difficult or they are vomiting, let them sit up or lie on their side.
5. If symptoms do not improve, or return, more epinephrine may be needed. See order if you need to repeat the dose and when dose is to be repeated.
6. Contact parent.

OR

Plan 2: Give Epinephrine immediately for ANY symptoms if the allergen was likely eaten:

1. INJECT EPINEPHRINE IMMEDIATELY.
2. Call 911.
3. Give *Antihistamine* and then Inhaler if ordered.
4. Lay the person flat, raise legs and keep warm. If breathing is difficult or they are vomiting, let them sit up or lie on their side.
5. If symptoms do not improve, or return, more epinephrine may be needed. See order if you need to repeat the dose and when dose is to be repeated.
6. Contact parent.

ORDERED MEDICATIONS AND DOSES

Antihistamine Brand:
 Benadryl or Diphenhydramine
 Other: _____

Antihistamine Dose:
 12.5 mg 18.75 mg 25 mg
 31.25 mg 37.5 mg 43.75 mg
 50 mg

EPINEPHRINE Dose:
 0.15 mg IM 0.3 mg IM

EPINEPHRINE Brand:
 EpiPen Auvi-Q

If not improved, give second dose of Epinephrine in _____ minutes.

Student will not have second dose of Epinephrine at school. _____ Parent's Initials

Inhaler or Other (e.g., inhaler-bronchodilator if asthmatic):

Brand: _____

Dosage: _____ Route: _____

Frequency: _____

I request and authorize Lewisville ISD personnel to administer the above medication as prescribed. I understand that the school administrator may designate any qualified person or persons to administer these medications. This form is valid for one school year. Physician must be licensed to practice in Texas. Temporary (2 months) orders for out of state US Physicians are acceptable to initiate treatment for transferring students. A signature is required to authorize the registered nurse and the prescribing physician to discuss and/or clarify the medication order and the student's response to the treatment plan. Elementary students are not permitted to transport medications. Unused medications not picked up at the end of the school year will be disposed of properly.

Physician Signature: _____ Printed Name: _____ Date: _____ Office #: _____ Fax #: _____ Address: _____	Parent Signature: _____ Date: _____
--	--